


RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF CONSERVATION
DIVISION OF OIL, GAS, AND GEOTHERMAL RESOURCES

REPORT OF PROPERTY AND WELL TRANSFER

Field or County <p style="text-align: center;">WILMINGTON</p>	District District 1 (Cypress, California)
Former owner <p style="text-align: center;">Cooper & Brain-Brea</p>	Date November 30, 2005

Well Name	API Number	Section Township Range
See Attached list	See Attached list	See Attached list
<p>For complete list of wells see operator file (C8100) Cooper & Brain, Inc.</p>		

Description of the land upon which the well (s) is (are) located.			
See attached			
Date of transfer 11/29/2005	New owner	Cooper & Brain, Inc. (C8100)	Type of organization Corp.
	Address:	P.O. Box 1177 Wilmington, CA 90748	Telephone (310) 834-4411
Reported by	OG30A received 8/26/2005 and signed by both parties. Remaining docs received 11/29/2005		
Confirmed by	Same as above		
New operator new status PA	Designation of Agent Ed Hanley, Agent		
Old operator new status AB	Remarks For further details see operator file (C8100) Cooper & Brain, Inc.		

OPERATOR STATUS ABBREVIATIONS PA - Producing Active NPA- No potential, Active PI- Potential Inactive NPI-No potential, Inactive AB-Abandoned or No More Wells	Deputy Supervisor <p style="text-align: center;">R. K. Baker</p>	Signature  Anne Anderle, Operations Engineer				
FORM AND RECORD CHECK LIST						
	Form or Record	Initials	Date	Form or Record	Initials	Date
	Form OGD121	Pday	11-30-05	Map and Book		
	Operator Card	CA	11-30-05	Notice cancellations	N/A	11-30-05
cc: Update; Envir Desk (2); File Conservation Committee Harold W. Bertholf, Inc. L.A. County Assessors WellStats-HQS, Sacramento WellStats-Cypress, District 1	Well Records	12-1-05	CA	Bond Status	11/3-Ind.	11-30-05
	Log Records	CA	12-1-05	EDP	CA	12-1-05
	Production Reports	N/A	11-30-05	Data Base	Pday	12-1-05

RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF CONSERVATION
DIVISION OF OIL AND GAS

REPORT OF PROPERTY AND WELL TRANSFER

Field or county Wilmington		District 1
Former owner DECALTA INTERNATIONAL CORP.		Date May 16, 1990
Name and location of well(s)		
"Watson A" 1	037-05053 Sec. 28-4S-13W	"Watson B" 1 037-05057 Sec. 28-4S-13W
" 2	" 05054 29-4S-13W	" 2 " 21534 28-4S-13W
" 3	" 05055 29-4S-13W	" 3 " 21658 28-4S-13W
" 4	" 04609 28-4S-13W	" 4 " 21659 28-4S-13W
" 5	" 23092 28-4S-13W	" 5 " 22256 28-4S-13W
" 6	" 23151 28-4S-13W	" 6 " 22676 28-4S-13W
" 8	" 05056 28-4S-13W	" 7 " 23366 28-4S-13W
Description of the land upon which the well(s) is (are) located See above.		
Date of transfer, sale, assignment, conveyance, or exchange May 1, 1990	New owner COOPER & BRAIN - BREA Address 655 E. "D" Street WILMINGTON CA 90744	Type of organization Partnership Telephone No. 213/834-4411
Reported by OG30A dated May 2, 1990 signed by both parties.		
Confirmed by See above.		
New operator new status (status abbreviation) PA	Request designation of agent Ed Hanley, P.O. Box 1177, WILMINGTON, CA 90748 on file 1-1-84.	
Old operator new status (status abbreviation) Ab	Remarks See Operator File under Cooper & Brain - Brea for transfer details.	

OPERATOR STATUS ABBREVIATIONS PA -- Producing Active NPA -- No Potential, Active PI -- Potential Inactive NPI -- No Potential, Inactive Ab -- Abandoned or No More Wells EDP Update Conservation Committee Dept Oil Properties L.A. Assessor Envir. Unit Campbell-Taylor File	Deputy Supervisor (For) R. K. Baker	Signature: <i>David Sanchez</i> David Sanchez, Operations Eng.
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------	-------------------------------------------------------------------

FORM AND RECORD CHECK LIST	
Form or record	Initials Date
Form OGD121	Map and book # 128 <i>gsk</i> 6-4-90
Form OGD148	Notice to be cancelled
New well cards	Bond status <i>De Calta Cooper</i> <i>Brian de</i> <i>former T.</i>
Well records	EDP files <i>gsk</i> 5-16-90
Electric logs	
Production reports	

REPORT OF PROPERTY AND WELL TRANSFER

Field or County **Torrance & Wilmington Fields**District **1**Former Owner: **U. S. Natural Resources, Inc.**Date **2-20-73**Description of Property **Attached list.**List of Wells **Attached list.**

Date of Transfer **December 1, 1972**
 New Owner: **DECALTA INTERNATIONAL CORP.**
 Address: **630 Sixth Ave. S.W., 8th Floor**
Calgary, Alberta, Canada
 Telephone No. **(403) 269-5551**

Type of Organization **Corporation**
 Reported by: **John P. Del Favero, U.S. Natural Resources, Inc., letter of 1-31-73**
 Confirmed by: **A. H. Ross, Decalta International Corp., letter of 2-2-73**
 New Operator New Status **PA**, Old Operator New Status **Ab**
 Request Designation of Agent **Yes** **Remove Agent**

Remarks:

ag

cc: H.Q.

Prod. Dept.

Conservation Committee

M. Jennison

	INITIALS	DATE
Form 121		
New Well Cards		
Well Records		
Electric Logs		
Production Reports		
Map and Book		
Form 148		
Notice to be cancelled		
Bond status		

Ownership File

W. L. Ingram
 Deputy Supervisor

LEGEND

PA—Producing Active
 NPA—Non Potential Active
 PI—Potential Inactive
 NPI—Non Potential Inactive
 Ab—Abandoned or No More Wells

List of wells transferred 12-1-72 from U. S. Natural Resources, Inc., to Decalta International Corp., in Torrance and Wilmington Fields.

Torrance Field

API No. 037

Sec. 5-4S-14W SB B&M

"Redondo Improvement Co." 1

18044

"Simmons" 2, 11

18117, 18120

Sec. 6-4S-14W SB B&M

"Atascadero" 1

18094

"Calmore" 2

18097

"Dumas-Brown" 1

18098

"Dumas-Lewis" 3

18112

"M. & W." 1

18114

"Simmons" 1, 12, 14, 15, 26

18116, 18121, 18122, 18123, 18124

"Suzy-Q" 1, 2, 5

18126, 18127, 18128

"P. W. Willett" 1

06483

Wilmington Field

Sec. 28-4S-13W SB B&M

"Gifford" 1

05052

"Watson A" 1, 4, 8

05053, 04609, 05056

"Watson B" 1

05057

Sec. 29-4S-13W SB B&M

"Watson A" 2, 3

05054, 05055

Sec. 34-4S-13W SB B&M

"Watson C" 1

05058

Sec. 35-4S-13W SB B&M

No. 2600-1

05051

Name changed from U. S. NATURAL GAS CORPORATION to U. S.

NATURAL RESOURCES, INC., effective November 1, 1968.

Form 156, 11-29-68. See letter in ownership file.

STATE OF CALIFORNIA
DEPARTMENT OF CONSERVATION
DIVISION OF OIL AND GAS

REPORT OF PROPERTY AND WELL TRANSFER

Field or County **Wilkington** District **1**
 Former Owner: **Bolsa Chica Oil Corporation** Date **August 28, 1962**
 Description of Property **(See below) S. B. B. & M.**

List of Wells

Sec. 35-48-13W	2600-1
Sec. 28-48-13W	"Gifford" 1
Sec. 28-48-13W	"Watson" 1
Sec. 29-48-13W	"Watson" 2
	"Watson" 3
Sec. 28-48-13W	"Watson A" 4
	"Watson A" 8
	"Watson B" 1
Sec. 34-48-13W	"Watson C" 1

All of the above wells are active.

Date of Transfer **August 1, 1962**
 New Owner: **U. S. Natural Gas Corporation**
 Address: **612 South Flower Street, Los Angeles 12, California**

Telephone No. **MA 9-2261**


Type of Organization **Corporation**
 Reported by: **W. S. Pallette for both operators (letter of August 23, 1962)**
 Confirmed by:
 New Operator New Status **PA**, Old Operator New Status **PA**
 Request designation of agent **Yes**

Remarks: **This is just a name change; there is no change in ownership.**

ca

cc **Mr. E. R. Murray-Aasen**
Production Dept.
Conservation Comm.

	INITIALS	DATE
Form 121		
New Well Cards		
Well Records		
Electric Logs		
Production Reports		
Map and Book		
Form 148		
Notice to be cancelled		
Bond status		


 Deputy Supervisor

LEGEND
PA—Producing Active
NPA—Non Potential Active
PI—Potential Inactive
NPI—Non Potential Inactive
Ab—Abandoned or No More Wells

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

REPORT OF PROPERTY AND WELL TRANSFER

Field or County	Wilmington	District	1
Former Owner:	Donald Frankel, Operator	Date	June 12, 1961
Description of Property	Sec. 28, 29, 34, 35 T. 4 S., R. 13 W., S. B. B. & M.		

List of Wells "Watson" 1, "Watson A" 4, "Watson A" 8, "Watson B" 1, "Gifford" 1,
Sec. 28, "Watson" 2, "Watson" 3, Sec. 29, "Watson C" 1, Sec. 34, and
2600-1, Sec. 35.

("Watson" 2 is idle; other wells are active)

Date of Transfer June 1, 1961
New Owner: Bolsa Chica Oil Corporation
Address: 612 South Flower St., Los Angeles 17, Calif.

Telephone No. MAdison 92261


Type of Organization Corporation
Reported by: Donald Frankel for both operators (Letters of June 1, 1961)
Confirmed by:
New Operator New Status PA , Old Operator New Status AB
Request designation of agent No

Remarks:

eb
CC- Mr. E. H. Musser
Prod. Dept.
Conservation Committee
Subsidence (DOG)

Wm. C. Bieby
Deputy Supervisor

	INITIALS	DATE
Form 121		
New Well Cards		
Well Records		
Electric Logs		
Production Reports		
Map and Book		
Form 148		
Notice to be cancelled		


 Deputy Supervisor

LEGEND
PA—Producing Active
NPA—Non Potential Active
PI—Potential Inactive
NPI—Non Potential Inactive
Ab—Abandoned or No More Wells
NOTE—If Transfer Does Not Change Overall Status Enter "No Change"

DIVISION OF OIL AND GAS
WELL SUMMARY REPORT

DEC 16 1957

SUBMIT IN DUPLICATE

LOS ANGELES, CALIFORNIA

Operator Donald Frankel, Operator Well No. "Watson #A" #4Sec. 28, T. 4S, R. 13W, S. B. B. & M. Wilmington Field Los Angeles County.Location 1610' Easterly along center line of Lomita Blvd. from the center line
(Give location from property or section corner, or street center lines)of Wilmington Avenue. Thence 185' Elevation of ground above sea level 42.8 feetNortherly at right angles.All depth measurements taken from top of K. B. which is 8 feet above ground.

(Derrick Floor, Rotary Table or Kelly Bushing)

In compliance with Sec. 3215, of the Public Resources Code, the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date December 1, 1957Signed Donald Frankel

(Engineer or Geologist)

(Superintendent)

Title Operator

(President, Secretary or Agent)

Commenced drilling October 23, 1957

GEOLOGICAL MARKERS

DEPTH

Completed drilling October 29, 1957Total depth 3870' Plugged depth noneJunk none

Geologic age at total depth: _____

Commenced producing 11/3/57 11/16/58 11/17/57 pumping
(Date) (Cross out unnecessary words)Name of producing zone Ranger Zone

Clean Oil bbl. per day	Gravity Clean Oil	Per Cent Water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
November 3, 1957 - November 17, 1957 - producing wash oil.					
58	14.0	55%	17	pumping	50#

CASING RECORD (Present Hole)

Size of Casing (A. P. I.)	Depth of Shoe	Top of Casing	Weight of Casing	New or Second Hand	Seamless or Lapweld	Grade of Casing	Size of Hole Drilled	Number of Sacks of Cement	Depth of Cementing if through perforations
16"	49'	9'	-	new	lpwd.	conductor			49'
7"	3742'	8'	20#	new	smls.	J-55	9 7/8"	600	3742'
5"	3870'	3705'	18#	new	smls.	J-55	10" -	blank &	perf

PERFORATED CASING

(Size, top, bottom, perforated intervals, size and spacing of perforation and method.)

3705'-3706' 5" X 7" Nelson Leadseal Adapter; 3706'-3715' blank casing; 3715'-3740' Perf with 6R, 30M, 48"C, 2"S; 3740'-3750' Perf with 16R, 30M, 6"C, 2"S; 3750'-3870' Prepacked by Pacific Perf. 6" O.D. with 6-8 gravel, Perf with 18R, 60M, 6"C, 2"S.

Electrical Log Depths

23'-3843'

(Attach Copy of Log)

DIVISION OF OIL AND GAS

DEC 16 1957

History of Oil or Gas Well

LOS ANGELES, CALIFORNIA

OPERATOR Donald Frankel, Operator FIELD Wilmington

Well No. "Watson (A)" #4, Sec. 28, T. 4S, R. 13W, S. B. B. & M.

Date _____, 19 1957

Signed Donald Frankel

3851 Long Beach Blvd.

Long Beach 7, Calif. GArfield 4-1412 Title Operator

(Address)

(Telephone Number)

(President, Secretary or Agent)

It is of the greatest importance to have a complete history of the well. Use this form to report a full account of all important operations during the drilling and testing of the well or during re-drilling, altering of casing, plugging, or abandonment with the dates thereof. Be sure to include such items as hole size, formation test details, amounts of cement used, top and bottom of plugs, perforation details, sidetracked junk, bailing tests, shooting and initial production data.

Date

Well drilled by Davis & Thompson Drilling Co. Used 1 - 10 5/8" bit, 9 - 9 7/8" bit, 1 - 6" bit, 1 - 6" rock core head. Total drilling time - 56 1/2 hours. Total coring time - 3 hours.

10/23/57

703' - Drilling 10 5/8" hole at midnight. Moved in, rigged up, and spudded well in at 7:15 P. M.

10/24/57

2743' - Drilling 9 7/8" hole.

10/25/57

3202' - Drilling 9 7/8" hole.

10/26/57

3720' - 9 7/8" drilled. Converted mud to oil emulsion drilling fluid.

10/27/57

3850' - 6" drilled. Ran Schlumberger Induction-Electrical Log and recorded from above 3849'. Took 14 sidewall samples within the interval of 3746'-3845'. Opened 6" hole to 9 7/8", 3720'-3742'. Cemented 7" casing at 3742' - ran 89 joints of new 7"-20#, J-55, 8rd short T&C Spang smis. casing (3756'-83') equipped W/Baker Simplex Basket Whirler Shoe and Flexiflow Type Collar (shoe jt. & collar 4868'), 1 B&W centralizer 5' above shoe and 1 on top of 2nd jt (91' up), welded shoe & float collar solid top and btm. Mixed 550 sax of constr. cmt. and Cretolite 1:1 mix followed by 50 sax of neat cmt. in min. (20). Displaced W/875 cu. ft. of mud in 30 min. Bumped top rubber plug W/1000# press. In place @ 11:40 P. M. by Oil Well Cmtg. Co. Standing cemented.

10/28/57

3850' - Landed casing, installed B.O.P. and tested with 1500 lbs. pressure - O. K. Drilled out cement.

10/29/57

3870' - T. D. Cored 6" hole 3850'-3870'. W.S.O. - O. K. Ran Johnson Combination Shoot & Test. Shot 4 - 1/2" holes @ 3736'. Set packer @ 3663' at tail to 3687'. No cushion, 3/4" bean, tester open for 1 hour. Had med. steady blow for duration, pulled & recovered 780' rise of heavily gas cut, oily drilling mud. Chart showed flow pressure 300#-440#, level for last 1/2 hour, some tendency to plug. Witnessed and approved by D. O. G. Ran back with 6" core barrel and took core.

10/30/57

3870' - T. D. Replaced oil emulsion drilling mud with oil base drilling fluid and scraped 6 1/8" hole to 10" hole 3742'-3870'. Back scuttled hole clean to bottom with open end and ran blank and perforated 5". Landed liner on bottom at 3870'. Top of plain end liner 3706'.

DIVISION OF OIL AND GAS

DIVISION OF OIL AND GAS
RECEIVED

DEC 16 1957

LOS ANGELES, CALIFORNIA

History of Oil or Gas Well

OPERATOR Donald Frankel, Operator FIELD WilmingtonWell No. Watson "A" #4, Sec. 28, T. 4S, R. 13W, S. B. B. & M.

Date _____, 19____

Signed

Don 100
Donald Frankel

3851 Long Beach Blvd.

Long Beach 7, Calif. GARfield 4-1412

Title Operator

(Address)

(Telephone Number)

(President, Secretary or Agent)

It is of the greatest importance to have a complete history of the well. Use this form to report a full account of all important operations during the drilling and testing of the well or during re-drilling, altering of casing, plugging, or abandonment with the dates thereof. Be sure to include such items as hole size, formation test details, amounts of cement used, top and bottom of plugs, perforation details, sidetracked junk, bailing tests, shooting and initial production data.

Date

10/31/57

3870' - H. D. Replaced oil base drilling fluid with 22.5 gravity crude oil and sandpacked 5" liner using Halliburton T-10 trucks (2) W/3 pumps running, bulk 20-40 Ottawa sand, pumped in 48 bbl. @ 1#/gal, 48 bbl. @ 1#/gal, 320 bbl. @ 2#/gal, 78 bbl. @ 3#/gal, all at a rate of 13 bbl/min with pressure of 1600# initial decreasing to 1370# when sand was mixed. Displaced W/2500 gal. (60 bbl) of oil, cut to 1 pump for next 25 bbl, then 1 pump @ 1/4 speed for 25 bbl, then reduced to idle speed. Sanded out W/1700# pressure W/est. 30 bbls. of 3#/bbl mix above liner top. Used total of 680 bbl. of 23.5° oil & 400 sax of sand. Start @ 5:27 A.M., finish @ 7:15 A.M. Ran in with 3 7/8" bit and located top of sand at 3691'. Cleaned out to 3711' and set 5" X 7" Nelson Leadseal Adapter, top at 3705'.

11/1/57

Cleaned out sand from inside liner to 3869'. Back scuttled hole clean and released rig at 11:00 A.M.

11/2/57

Using Terminal Drilling and Production Company's portable equipment, ran Axelson 2 1/2" X 2 1/4" X 11' X 13' X 15' TLE tubing liner pump including 4' perforated nipple on 116 joints of new Spang 2 7/8", 8rd, J-55 tubing. Bottom of perforated nipple - 3704' K. B. Ran pump plunger on 121 new National Grade 60-3/4" sucker rods. Installed 6' Santa Fe Springs Mfg. Co. hydraulic pump unit.

11/3/57

Placed well on production. Pumping wash oil at 1:00 A.M. at 40 strokes/min.

SUBMIT IN DUPLICATE

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCESDIVISION OF OIL AND GAS
RECEIVED

DEC 16 1957

DIVISION OF OIL AND GAS

LOS ANGELES, CALIFORNIA

LOG AND CORE RECORD OF OIL OR GAS WELL

Operator Donald Frankel, Operator Field WilmingtonWell No. "Watson (n)A" #4 Sec. 28, T. 4S, R. 13W, S. B. B. & M.

FORMATIONS PENETRATED BY WELL

DEPTH TO		Thickness	Drilled or Cored	Recovery	DESCRIPTION
Top of Formation	Bottom of Formation				
<u>Schlumberger Sidewall Samples</u>					
	<u>Depth</u>				
	3746'	Rec. 1½"			<u>Oil Sand</u> , med. grained, dark brown saturation, silty, friable, good heavy oil odor.
	3750'	Rec. 1½"			<u>Oil Sand</u> as above, more fine gr. & silty, very soft.
	3755'	Rec. 1½"			<u>Oil Sand</u> as 3750' only more firm.
	3767'	Rec. 1¼"			<u>Oil Sand</u> , very fine & silty, dark brown sat., friable.
	3771'	Rec. 1¼"			<u>Oil Sand</u> as 3767'.
	3779'	Rec. 1½"			<u>Oil Sand</u> as above, very fine, silty & soft.
	3798'	Rec. 2"			<u>Siltstone</u> , dark brown, hard, gritty w/coarse quartz grains.
	3802'	Rec. 1½"			<u>Oil Sand</u> as 3779'.
	3810'	Rec. 1½"			<u>Oil Sand</u> , med. grained scattered coarse grains, very friable, rich saturation.
	3816'	Rec. 1½"			<u>Oil Sand</u> as 3779'.
	3825'	Rec. 1½"			<u>Oil Sand</u> as 3810'.
	3836'	Rec. 1½"			<u>Oil Sand</u> as 3779'.
	3843'	Rec. 1½"			<u>Oil Sand</u> as 3779'.
	3845'	Rec. 1½"			<u>Oil Sand</u> as 3810'.
<u>Core #1</u>					
3850'	3870'	20'	20'	9'	Siltstone, dark brown, hard, dense and massive.

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

Report on Test of Water Shut-off
(FORMATION TESTER)

No. T 157-1253

Mr. Donald Frankel
410 City National Bank Bldg
Beverly Hills California
Agent for DONALD FRANKEL, OPERATOR

Inglewood 3 Calif.
November 5, 1957

DEAR SIR:

Your well No. "Watson A" 4, Sec. 28, T. 4 S, R. 13 W, S B B & M.
Wilmington Field, in Los Angeles County, was tested for water shut-off
on October 29, 1957 Mr. G. Hazenbush, Engineer, designated by the supervisor was present
from 8:00 to 9:00 a.m. as prescribed by law; there were also present W. Payne, Engineer,
H. Pennington, Foreman.

Shut-off data: 7 in. 20 lb. casing was xx cemented xxxxxx at 3742 ft.
on October 28, 1957 in 9-7/8 in. hole with 600 xxxxxx sacks of cement
the first 550 premixed 1:1 Cret-O-Lite

calculated to fill behind casing to 1450 ft. below surface.
Casing record of well: 16" cem. 40'; 7" cem. 3742', four 1/2" holes 3736', W.S.O.

Present depth 3850 ft. cmt. bridge 3742 ft. to 3736 ft. Cleaned out cmt. 3690 ft. to 3736 ft. for test.
A Johnston gun and tester was run into the hole on 3-1/2 in. drill pipe xxxxxx
with xxxx ft. of water-mud cushion, and packer xx set at 3663 ft. with tailpiece to 3683 ft.
Tester valve, with 3/4 in. bean, was open for 1 hr. and xxxx min. During this interval there was a
medium heading blow for one hour.

Mr. Payne reported:
1. A 10-5/8" hole was drilled from 40' to 875'; a 9-7/8" hole, to 3742'; a 6" hole, to 3850'.
2. The 7" casing was shot-perforated with four 1/2" holes at 3736'.

THE ENGINEER NOTED:

1. When the drill pipe was removed, 780' of gassy, oily, frothy drilling fluid was found in the drill pipe above the tester, equivalent to 5.8 bbl.
2. There was no evidence of free water.
3. The recording pressure bomb chart showed that the tester valve was open 1 hr.

THE 7" SHUT-OFF AT 3736' IS APPROVED.

GH:OH

cc. Mr W S Payne, Jr
3851 Long Beach Boulevard
LONG BEACH 7 California

E. H. MUSSER
State Oil and Gas Supervisor

By Wm C Bailey Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCESDIVISION OF OIL AND GAS
REPORT ON PROPOSED OPERATIONS

No. P 157-1181

Mr. Donald Frankel
410 City National Bank Bldg
Beverly Hills California
 Agent for DONALD FRANKEL, OPERATOR

Los Angeles 15 Calif.
September 30, 1957

121

DEAR SIR:

Your proposal to drill Well No. "Watson A" 4,
Section 28, T. 4 S, R. 13 W, S B B. & M., Wilmington Field, Los Angeles County,
 dated Sept. 25, 1957, received Sept. 26, 1957, has been examined in conjunction with records filed in this office.

Present conditions as shown by the records and the proposal are as follows:

THE NOTICE STATES

"Legal description of lease 66 Acres as per attached map being a portion of lot #7
 Maria Dolores Dominguez de Watson 3665.95 Acre allotment of Rancho San Pedro.
 Location of Well: 1610 Easterly along center line of Lomita Blvd. from the center line
 of Wilmington Avenue. Thence 185' northerly at right angles.
 Elevation of ground above sea level 42.8 feet.
 All depth measurements taken from top of K. B. which is 8.0 feet above ground."

PROPOSAL

"PROPOSED CASING PROGRAM

Size of Casing

Inches A.P.I.	Weight	Grade and Type	Top	Bottom	Cementing Depths
16" Conductor			9'	49'	Cmt'd. C 49'
7"	20#	J-55	8'	3730	Cmt'd. C 3730
5 1/2"	17#	J-55	3690	3830	Blank & Perf liner

Intended zone or zones of completion:

Name Perforated Interval
Ranger

It is understood that if changes in this plan become necessary we are to notify you before running casing."

DECISION

THE PROPOSAL IS APPROVED PROVIDED THAT

1. Adequate blowout prevention equipment shall be installed and maintained in operating condition at all times.
2. Any hole to be sidetracked in any oil or gas zone shall be filled with cement, if possible.
3. Sufficient cement shall be used to fill back of the 7" casing to a depth of 1500'.
4. THIS DIVISION SHALL BE NOTIFIED TO WITNESS a test of the effectiveness of the 7" shut-off.

RGF:OH

cc Long Beach

Mr W S Payne, Jr.,

Bond No. 3851 Long Beach Blvd
3071129 Long Beach 7 Calif.
 Dated 9-23-57

E. H. MUSSER, State Oil and Gas Supervisor

By [Signature] Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS

DIVISION OF OIL AND GAS
RECEIVED

Notice of Intention to Drill New Well

SEP 26 1957

This notice and surety bond must be filed before drilling begins

LOS ANGELES, CALIFORNIA

DECALIA INTERNATIONAL Corp.

Long Beach Calif. September 25 1957

DIVISION OF OIL AND GAS

"Watson A" 4

In compliance with Section 3203, Chapter 93, Statutes of 1939, notice is hereby given that it is our intention to commence the work of drilling well No. Watson "A" (#1), Sec. 28, T. 4S, R. 13W, S. B. & M., Wilmington Field, Los Angeles County.Legal description of lease 66 Acres as per attached map being a portion of
(Attach map or plat to scale)lot #7 Maria Dolores Dominguez de Watson 3665.95 Acre allotment of
Rancho San Pedro.Location of Well: 1610 Easterly along center line of Lomita Blvd. from the
(Give exact footage from section corners or other legal subdivision or streets)
center line of Wilmington Avenue. Thence 185' northerly at right angles.Elevation of ground above sea level 42.8 feet.All depth measurements taken from top of K. B. which is 8.0 feet above ground.
(Derrick Floor, Rotary Table or Kelly Bushing)

PROPOSED CASING PROGRAM

SIZE OF CASING INCHES A.P.I.	WEIGHT	GRADE AND TYPE	TOP	BOTTOM	CEMENTING DEPTHS
16" Conductor			9'	49'	Cmtd. C 49'
7"	20#	J-55	8'	3730	Cmtd. C 3730
5 1/2"	17#	J-55	3690	3830	Blank & Perf Liner

Intended zone or zones of completion:

NAME

PERFORATED INTERVAL

Ranger

WMP	PLAN BOOK	CARDS	BOND	FORMS
				114 121
50			3071429	
81			Dated 9-23-57	
9-26				

It is understood that if changes in this plan become necessary we are to notify you before running casing.

Address 3851 Long Beach Blvd., L. B. 7 Donald Frankel, OperatorTelephone Number Garfield 4-1412

By

SEND ONE COPY OF NOTICE TO DIVISION OFFICE IN DISTRICT WHERE WELL IS LOCATED